

1.4 Transformations Lesson

This document was composed and formatted by Annie Bernatchez.

The course material originated from www.jensenmath.ca

In this section, you will investigate the roles of the parameters a , k , d , and c in polynomial functions of the form $f(x) = a[k(x - d)]^n + c$. You will apply transformations to the graphs of basic polynomial power functions to sketch the graph of its transformed function.



Part 1: Transformations Investigation

In this investigation, you will be looking at transformations of the polynomial power function $y = x^4$. Complete the following table using graphing technology to help. The graph of $y = x^4$ is given on each set of axes; sketch the graph of the transformed function on the same set of axes. Then comment on how the value of the parameter a , k , d , or c transforms the parent function.



Effects of c on $y = x^4 + c$


Transformed Function	Value of c	Transformations to $y = x^4$	Graph of transformed function compared to $y = x^4$
$y = x^4 + 1$			
$y = x^4 - 2$			

Effects of d on $y = (x - d)^4$




Transformed Function	Value of d	Transformations to $y = x^4$	Graph of transformed function compared to $y = x^4$
$y = (x - 2)^4$			 A Cartesian coordinate system showing the graph of the function $y = (x - 2)^4$. The x-axis ranges from -4 to 4, and the y-axis ranges from -3 to 3. The graph is a pink curve that is symmetric about the vertical line $x = 2$. It has a minimum at $(2, 0)$ and passes through points $(0, 16)$, $(4, 16)$, $(1, 1)$, and $(3, 1)$.
$y = (x + 3)^4$			 A Cartesian coordinate system showing the graph of the function $y = (x + 3)^4$. The x-axis ranges from -4 to 4, and the y-axis ranges from -3 to 3. The graph is a pink curve that is symmetric about the vertical line $x = -3$. It has a minimum at $(-3, 0)$ and passes through points $(-5, 16)$, $(-1, 16)$, $(-2, 1)$, and $(-4, 1)$.

Effects of a on $y = ax^4$

Transformed Function	Value of a	Transformations to $y = x^4$	Graph of transformed function compared to $y = x^4$
$y = 2x^4$			 A Cartesian coordinate system showing the graph of the function $y = 2x^4$. The x-axis ranges from -4 to 4, and the y-axis ranges from -3 to 3. The graph is a pink curve that is symmetric about the y-axis. It has a minimum at $(0, 0)$ and passes through points $(1, 2)$, $(-1, 2)$, $(2, 16)$, and $(-2, 16)$.
$y = \frac{1}{2}x^4$			 A Cartesian coordinate system showing the graph of the function $y = \frac{1}{2}x^4$. The x-axis ranges from -4 to 4, and the y-axis ranges from -3 to 3. The graph is a pink curve that is symmetric about the y-axis. It has a minimum at $(0, 0)$ and passes through points $(2, 8)$, $(-2, 8)$, $(1, 0.5)$, and $(-1, 0.5)$.

$y = -2x^4$			
-------------	--	--	---

Effects of k on $y = (kx)^4$

Transformed Function	Value of k	Transformations to $y = x^4$	Graph of transformed function compared to $y = x^4$
$y = (2x)^4$			
$y = \left(\frac{1}{3}x\right)^4$			
$y = (-2x)^4$			

Summary of effects of a , k , d , and c in polynomial functions of the form $f(x) = a[k(x - d)]^n + c$

1.4 Transformations Lesson

Value of c in $f(x) = a[k(x - d)]^n + c$

$c > 0$	
$c < 0$	

Value of d in $f(x) = a[k(x - d)]^n + c$

$d > 0$	
$d < 0$	

Value of a in $f(x) = a[k(x - d)]^n + c$

$a > 1$ OR $a < -1$	
$-1 < a < 1$	
$a < 0$	

Value of k in $f(x) = a[k(x - d)]^n + c$

$k > 1$ OR $k < -1$	
$-1 < k < 1$	
$k < 0$	

Note: a and c cause _____ transformations and therefore affect the y -coordinates of the function.

Note: k and d cause _____ transformations and therefore affect the x -coordinates of the function.

When applying transformations to a parent function, make sure to apply the transformations represented by a and k BEFORE the transformations represented by d and c .

Part 2: Describing Transformations from an Equation

Example 1: Describe the transformations that must be applied to the graph of each polynomial power function, $f(x)$, to obtain the transformed function, $g(x)$. Then, write the corresponding equation of the transformed function. Then, state the domain and range of the transformed function.

a) $f(x) = x^4$, $g(x) = 2f\left[\frac{1}{3}(x - 5)\right]$

b) $f(x) = x^5$, $g(x) = \frac{1}{4}f[-2(x - 3)] + 4$

Part 3: Applying Transformations to Sketch a Graph


Example 2: The graph of $f(x) = x^3$ is transformed to obtain the graph of $g(x) = 3[-2(x + 1)]^3 + 5$.

a) State the parameters and describe the corresponding transformations

b) Make a table of values for the parent function and then use the transformations described in part a) to make a table of values for the transformed function. *Note: When choosing key points for the parent function, always choose x-values between -2 and 2 and calculate the corresponding values of y.*

$f(x) = x^3$ <table><tr><th>x</th><th>y</th></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>	x	y											Transformed <table><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>												
x	y																								

c) Graph the parent function and the transformed function on the same grid.



Example 3: The graph of $f(x) = x^4$ is transformed to obtain the graph of $g(x) = -\left(\frac{1}{3}x + 2\right)^4 - 1$.

a) State the parameters and describe the corresponding transformations

Note: k value must be factored out into the form $[k(x + d)]$


b) Make a table of values for the parent function and then use the transformations described in part a) to make a table of values for the transformed function.

$f(x) = x^4$

x	y

Transformed


c) Graph the parent function and the transformed function on the same grid.



Part 4: Determining an Equation Given the Graph of a Transformed Function

Example 4: Transformations are applied to each polynomial power function to obtain the resulting graph. Determine an equation for the transformed function. Then state the domain and range of the transformed function.

a)



b)

