

2.2 Synthetic Division Worksheet

This document was composed and formatted by Annie Bernatchez.

The course material originated from www.jensenmath.ca

1) Calculate each of the following using synthetic division. Express your answer using the statement that could be used to check the division.

a) $x^3 - 7x - 6$ divided by $x - 3$

b) $2x^3 - 7x^2 - 7x + 19$ divided by $x - 1$

c) $6x^4 + 13x^3 - 34x^2 - 47x + 28$ divided by $x + 3$

d) $2x^3 + x^2 - 22x + 20$ divided by $2x - 3$

2.2 Synthetic Division Worksheet

e) $12x^4 - 56x^3 + 59x^2 + 9x - 18$ divided by $2x + 1$

f) $6x^3 - 15x^2 - 2x + 5$ divided by $2x - 5$

g) $x^3 - 2x + 1$ divided by $x - 4$

h) $x^3 + 2x^2 - 6x + 1$ divided by $x + 2$

2) Divide $x^4 - 16x^3 + 4x^2 + 10x - 11$ by each of the following binomials...

a) $x - 2$

b) $x + 4$

3) Are either of the binomials in question #2 factors of $x^4 - 16x^3 + 4x^2 + 10x - 11$? Explain.

Answer Key

1) a) $x^2 + 3x + 2$, remainder 0 b) $2x^2 - 5x - 12$, remainder 7 c) $6x^3 - 5x^2 - 19x + 10$, remainder -2 d) $x^2 + 2x - 8$, remainder -4
e) $6x^3 - 31x^2 + 45x - 18$, remainder 0 f) $3x^2 - 1$, remainder 0 g) $x^2 + 4x + 14$, remainder 57 h) $x^2 - 6$, remainder 13

2) a) $x^3 - 14x^2 - 24x - 38$, remainder -87 b) $x^3 - 20x^2 + 84x - 326$, remainder 1293

3) No — dividing by each binomial leaves a non-zero remainder (-87 and 1293 respectively).