2.4 Rational Functions Lesson

This document was composed and formatted by Annie Bernatchez.

The course material originated from www.jensenmath.ca

Part 1: Warm-Up

Find the intervals of concavity and the coordinates of any points of inflection for $y = \frac{1}{3}x^3 - 12x^2 + 5$

Remember:




$f''(x) = 0$ or undefined is a possible POI

If $f''(x) < 0$, $f(x)$ is concave DOWN

If $f''(x) > 0$, $f(x)$ is concave UP

Part 2: Reminder of some simple rational functions

Degree of denominator > degree of numerator:


$y = \frac{1}{x-2}$	$y = \frac{1}{x^2-4}$	$y = \frac{1}{(x-1)^2}$
		

Notice: Horizontal asymptotes all are at $y = 0$


Vertical asymptotes are at zeros of the denominator

Degree of denominator = degree of numerator:

Copyright © 2026 Annie Bernatchez—All rights reserved.

$y = \frac{3x-2}{x-1}$ 	Notice: HA at quotient of leading coefficients VA at zero of the denominator


Degree of denominator < degree of numerator:

$y = \frac{x^2-1}{x+3}$ 	Notice: Oblique asymptote at quotient of numerator and denominator; VA at zero of the denominator

Copyright © 2026 Annie Bernatchez—All rights reserved.

Vertical Asymptote vs. Hole in Graph

$f(x) = \frac{(x-2)}{(x-1)(x-2)}$



Notice: VA at $x = 1$; $f(1) = \frac{-1}{0}$

Hole at $(2, 1)$; $f(2) = \frac{0}{0}$ (remove discontinuity to find y-value of hole)

Conclusion: If $f(a) = \frac{\#}{0}$, $x = a$ is a VA

If $f(a) = \frac{0}{0}$, there is a hole in the graph when $x = a$

Limit Definition of Asymptotes:

For the rational function $y = \frac{f(x)}{g(x)}$

There is a Vertical Asymptote at $x = a$ when $g(a) = 0$ and $\lim_{x \to a} \frac{f(x)}{g(x)} = \pm \infty$

There is a Horizontal Asymptote at $y = L$ when $\lim_{x \to \pm\infty} \frac{f(x)}{g(x)} = L$

Note: Horizontal asymptote only exists if the degree of the numerator is **less than or equal to** the degree of the denominator.

Part 3: Apply What You Know to Graph Rational Functions

Example 1: State the Horizontal Asymptotes of the following functions:

a) $y = \frac{3x^2 + 2}{6x^2 - 4x - 1}$

b) $y = \frac{3x^2 + 2}{6x^3 - 4x - 1}$

Example 2: Consider the function $f(x) = \frac{1}{(x+2)(x-3)}$

a) Find the asymptotes

b) Find the one-sided limits as the x-values approach the vertical asymptotes (sub values very close to the limit for x, and find what the value of the function is approaching)

Copyright © 2026 Annie Bernatchez—All rights reserved.

c) Sketch the graph

Example 3: Consider the function $f(x) = \frac{1}{x^2+1}$

a) Where are the vertical and horizontal asymptotes?

b) Find any local max/min points and the intervals of increase/decrease

Test value for x		
$f'(x)$		
$f(x)$		

c) Find the points of inflection

Test value for x			
$f''(x)$			
$f(x)$			

d) Sketch a graph of the function

Copyright © 2026 Annie Bernatchez—All rights reserved.